



APRIL 11, 2019

2018

ENVIRONMENTAL PERFORMANCE REPORT

OLYMPIC INDUSTRIES LIMITED
AMIN COURT, 6TH FLOOR
62-63 MOTIJHEEL C/A
DHAKA-1000
BANGLADESH

TABLE OF CONTENTS

Introduction	2
Greenhouse Gas Emissions	3
Emissions from Energy Sources	3
Emissions from Inputs	5
Emissions by Scope	5
Waste.....	6
Paper & Ink	7
Methodology.....	7
Measuring And Reporting Approach	7
Organisational Boundary	7
Operational Scope	8
Scope 1	8
Scope 2	8
Scope 3	8
Water Treatment	9
Ingredients / Factory Inputs	9
Transportation.....	9
Waste Disposal.....	9
On-site Office Materials	10
Solar Panels.....	10
Defined Conversion Factors (kg/CO ₂).....	10
Natural Gas	10
Oil	11
Electricity	11
Factory Inputs	11
Paper for Cartons	12
Base Year.....	12

INTRODUCTION

At Olympic, we believe that a good business must be sustainable. We are committed to ensuring that our planet stays healthy and plentiful. We believe we have a duty to ensure that our children will have a flourishing planet to live on for generations to come. In order to make this happen, we plan to reduce our impact on climate change by reducing waste and greenhouse gas emissions, increasing our use of renewable materials and energies, and mitigating climate change's impact on our communities. We are committed to sustainability for the long-run, and we welcome accountability for our actions.

It is based on these values that last year we commissioned the Centre for Sustainable Development, University of Liberal Arts Bangladesh, to assess the company's greenhouse gas emissions and water usage for 2016, as well as recommend how to improve its impact. They produced an Environmental Performance Report (EPR), which is an important management tool for ensuring optimal use of natural resources for sustainable development.



CSD also trained key factory personnel on calculating and tracking emissions in the future. Trained by the best and inspiring ourselves from CSD's report, we have compiled a report of our own. We commit to doing this every year to keep track of our emissions and to keep ourselves accountable for reducing our impact on the environment.



The following is our Environmental Performance Report for 2018. From this year, we have started producing our own cartons. As such, we removed the section entitled 'Carton' from our scope 3 emissions and included CO₂ emissions in carton production from natural gas, diesel, electricity and paper respectively in scope 1, 2 and 3. This explains why this year's CO₂ emissions for diesel consumption are substantially higher.

We have corrected a previous error in the CO₂ conversion factor for diesel and accepted **3.11** as the standard conversion factor. We have also republished the previous year's reports with the revised calculation.


GREENHOUSE GAS EMISSIONS

EMISSIONS FROM ENERGY SOURCES





EMISSIONS FROM INPUTS




EMISSIONS BY SCOPE

	2015 (baseline)	2016	2017	2018
Scope 1	12,414,263	12,878,616	14,176,180	16,630,412
Scope 2	824,032	1,530,517	2,673,613	3,696,866
Scope 3	74,366,493	77,094,815	79,424,296	80,922,990
Total Gross Emissions (KGCO₂)	87,604,787	91,503,948	96,274,090	101,250,258
Total Gross Emissions (MTCO₂)	87,605	91,504	96,274	101,250
Production : Emissions Ratio	1.17	1.16	1.14	1.05

Scope	Activity
Scope 1	Gas consumed in the generator to produce onsite electricity
	Oil consumed in the generator produce onsite electricity
	Gas consumed in the oven / boiler
Scope 2	Electricity consumed from the Bangladesh National Grid
Scope 3	Input of flour
	Input of sugar
	Input of palm oil
	Input of palm kernel oil
	Input of wrapping for packaging
	Input of high impact polystyrene (HIPS) tray
	Input of cardboard cartons for packaging

WASTE

We do our best to dispose of the waste at our factories responsibly. We are constantly looking for ways to recycle, reuse or repurpose. The graph below shows that our efforts have borne fruit: 37% of our waste has another life after Olympic which is 2% more than the last year.



In addition, we are committed to keeping waste at a minimum. We have built systems within each production line to ensure exactly that. As a result, for each kilogram of production, only 20 grams of waste are produced (2%).

PAPER & INK

In 2018, we have printed approximately 2,524,000 pages of paper and used the corresponding amount of printing ink. We have included a few sectors of paper consumption in this report which were left behind in the previous report. That is why the number of pages of paper used is higher than previous year. We are highly optimistic about reducing this number rapidly with different impactful initiatives.

METHODOLOGY

MEASURING AND REPORTING APPROACH

This report follows the approach used by the UK Department of Energy and Climate Change¹ which is based upon the Green House Gas (GHG) Protocol developed by the World Resources Institute (WRI) and World Business Council on Sustainable Development (WBCSD).

In addition to this approach, the report also takes ISO 14001 into consideration, which is used by small and large organisations across the world to reduce their environmental impact. It is an excellent framework to help implement an environmental management system (EMS) which helps organisations reduce their impact while still achieving growth. The requirement to achieve ISO 14001 have been a secondary factor in the design and scope of this report.

For a more intricate level of detail where necessary, this report follows the paradigm defined by the British Standards Institute (BSI) Publicly Available Specification 2050:2008 or PAS2050, which allows for the calculation of supply chain GHG emissions. These include those associated with processes not controlled by the company itself, and can be measured at either a company level or the level of an individual product.

ORGANISATIONAL BOUNDARY

Olympic does not only produce biscuits; it produces a variety of products which are distributed through an extensive supply chain. This poses issues to quantifying emissions in a report such as this, and is beyond local capacity.

Therefore, this report expressly deals with the emissions related to the production of biscuits at the Madanpur and Lolati factory sites in Bangladesh. The defined boundaries of what is included and the reasons behind this will be expanded on in the following sections. It is based upon the recommendations defined by the GHG protocol guidelines, in line with the most widely used international standard of reporting.

¹ https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/69282/pb13309-ghg-guidance-0909011.pdf

OPERATIONAL SCOPE

To identify which activities are responsible for GHG emissions being released into the atmosphere, this report uses the most common approach: GHG Protocol's 'Scope' framework which consists of three groups².

SCOPE 1

Direct Emissions: Activities owned or controlled by the organisation that release emissions straight into the atmosphere. Examples of these include emissions created by the combustion process from boilers or generators, vehicle emissions, or emissions from chemical production.

SCOPE 2

Energy Indirect: Emissions being released into the atmosphere associated with your consumption of purchased electricity, heat steam and cooling. These are indirect emissions that are a consequence of your organisations activities which occur at sources you do not own or control.

SCOPE 3

Other Indirect: Emissions that are a consequence of your actions, which occur at sources which you do not own or control and which are not classed as Scope 2 emissions. Examples of these are business travel by means not controlled by your organisation, waste disposal or purchased materials or fuels.

Under the GHG Protocol, all organisational footprints must include scope 1 and 2 emissions. There is more flexibility when choosing which scope 3 emissions to measure and report, and it is important to tailor these to reflect the environmental and commercial goals of the report. Here follows a table that in simple terms shows the selected contributing factors to the emissions from both factories, and the scope category that they fall under.

<i>Scope</i>	<i>Activity</i>
<i>Scope 1</i>	Gas consumed in the generator to produce onsite electricity Oil consumed in the generator produce onsite electricity Gas consumed in the oven / boiler
<i>Scope 2</i>	Electricity consumed from the Bangladesh National Grid
<i>Scope 3</i>	Input of flour Input of sugar Input of palm oil

² WRI / WBCSD The Greenhouse Gas Protocol: A Corporate Accounting and Reporting Standard (Revised Edition)

Input of palm kernel oil
Input of wrapping for packaging
Input of high impact polystyrene (HIPS) tray
Input of cardboard cartons for packaging

In addition to the factors included, it is important to outline the factors that were not included within the study and the reasons behind their omission. What follow are the significant omissions, and a detailing of the reasons.

WATER TREATMENT

Although there is a significant amount of water used in the processes related to the production at the factories, the emissions produced are already covered by other factors. The water bought up from the ground is pulled by pumps from the water table, these are run by the electricity either produced by the generator or by electricity drawn straight from the grid and these are reflected in the emissions shown coming from each different energy source. This is the same as any energy used to pump water around the factory complex, or any related process. This is also the case for the water used in the production of ingredients for the factory processes; this is reflected in the scope 3 emissions for each input.

INGREDIENTS / FACTORY INPUTS

There are a large number of ingredients that go into the biscuit production process which are used in a relatively small quantity. These micro inputs have not been included as items that have less than 1% of an impact on the overall calculation are automatically omitted to ensure that the overall figure is not distorted by and watered down by minor factors.

These ingredients include Lecithin, Malt, Liquid Glucose, Slim Milk Powder (SMP), Sodium Bicarbonate, Ammonia Bicarbonate, Citric Acid, Malic Acid, Sodium Lactic Acid, Whey Powder, Dextrose, Starch, Ethyl Vanillin, Dry Gluten, Calcium Bicarbonate, Coconut Powder, Salt, Cocoa Powder, Titanium Dioxide, Cake Gel, and Egg.

TRANSPORTATION

The process of bringing in raw ingredients and distributing the finished product at Olympic is completed by external organisations and therefore are being placed outside of the scope of this report. A separate environmental report of the wider impact of this network is more fitting, or one that is included within the carbon footprint of the distribution companies themselves. There are a number of vehicles that are used by the Olympic organisation for transportation between factories for example but they are also being omitted as their use is partly or wholly engaged through other departments of the organisation which this report does not reflect.

WASTE DISPOSAL

In balance to the inputs, there is very little outputted waste at the factories. Waste disposal also falls in to scope 3 which is a category that is defined by a flexible approach and an

objective balancing of whether it is useful to include. Due to the small amount of waste produced, the lack of robust data on composition, and the fact that it is processed by an external organisation, it is being omitted.

ON-SITE OFFICE MATERIALS

On the two factory sites there is a small complex of office buildings present. Included in these are housed management staff, which have inputs of office materials. Due to some rudimentary calculations using the International Life Cycle Database (ILCD)³ it has been shown to be less than the 1% boundary requirement for inclusion. Additionally there are other similar office segments of the organisation and the division of what should be included is not clear enough to produce a fair figure so it has been omitted.

SOLAR PANELS

Present on the roofs of both of the factory complexes are a small array of solar panels which are connected to the lighting systems of the respective factories. The arrays are less than 4KW in size, and produce at maximum approximately 3400 KWH per year in an average case scenario. The electricity input alone from the grid is over 1,000,000 KWH which means that the effect of the solar panels on the emissions is less than 1% and therefore they have been omitted, this is not even taking into account the electricity generated onsite. If the panels were connected to the system as a whole, and fed into the complex's main loop, as does the generator, then we would reconsider and include as part of the calculation.

DEFINED CONVERSION FACTORS (KG/CO₂)

For each factor used in the emissions calculation below is the conversion factor used from the respective unit to KGCO_{2e}. This a useful simplification tool for producing figures in the selected unit which are accurate and directly represent the different inputs into the organisation, and subsequently their individual emissions. The conversion factors come from different sources, those originating from external sources are marked in the footnotes.

Where possible, the figures have been taken using data from Bangladesh. In all cases, the data sources were crosschecked with other relevant sources to ensure consistency.

Here is a list of the conversion factors, and where suitable the brief workings are shown to define the output.

NATURAL GAS

53.12 KGCO₂ per 1000 cubic feet of Natural Gas⁴

$$53.12 \times 35.315 = 1875.9328 / 1000 = 1.8759 = 1.88$$

³ <http://eplca.jrc.ec.europa.eu/>

⁴ https://www.eia.gov/environment/emissions/co2_vol_mass.cfm

Conversion Factor = 1.88

OIL

11.79 KGCO₂ per Gallon of Residual Heating Fuel⁵

1 Gallon = 3.79 Litres

11.79 / 3.79 = 3.11

Conversion Factor = 3.11***

ELECTRICITY

0.63714323 KGCO₂ / KWH⁶ = 0.64 KGCO₂ / KWH

Conversion Factor = 0.64

FACTORY INPUTS

1 KG of Wheat Flour – 0.6864 KGCO₂e⁷

Conversion Factor = 0.69

1 KG of Sugar = 0.54 KGCO₂e

Conversion Factor = 0.54

Palm Oil 1.67kgCO₂⁸ / KG Palm oil

Conversion Factor = 1.67

Palm Kernel Oil – 678.73 KGCO₂ / 1000KG Palm Kernel Oil⁹

Conversion factor = 0.68

(Figure taken from mill close to port without carbon capture facility being used)

⁵ https://www.eia.gov/environment/emissions/co2_vol_mass.cfm - Residual Heating Oil

⁶ <https://ecometrica.com/assets/Electricity-specific-emission-factors-for-grid-electricity.pdf> - 2011

⁷ http://www.revagrois.ro/PDF/2011-2/paper/pagini_38-41_Moudry.pdf

⁸ <http://www.sensorproject.net/sensorwp/wp-content/uploads/2016/09/SEnSOR-science-for-policy-paper-RSPO-GHG-calculator-August-16.pdf>

⁹ <http://jopr.mpob.gov.my/wp-content/uploads/2013/09/jopr24dec2012-Vijaya1.pdf>

***Revised after correcting the calculation error.

Wrappers – Linear low Density Polyethylene (LLDPE) – 1.89KGCO₂ / 1 KG Wrappers¹⁰

Conversion factor = 1.89

High Impact Polystyrene (HIPS) Tray – 3.46 KGCO₂ / 1 KG HIPS¹¹

Conversion Factor = 3.46

PAPER FOR CARTONS

Average weight calculated by average (mean) weight of sample selection of paper.

490 KGCO₂ / 1000kg Cardboard¹²

Conversion factor = 0.49

BASE YEAR

The establishing of a base year is an important aspect of the reporting process. It defines a starting point from which the development of a robust and organisationally specific report can be produced. It enables a clear and direct comparison to other reporting periods, and it maintains a meaningful and consistent evaluation of emissions over time. For the purpose of this report, 2015 was selected as the baseline, as determined by ULAB in the 2016 Environmental Performance Report.

¹⁰ http://www.plasticseurope.org/Documents/Document/20100312112214-FINAL_LLDPE_270409-20081215-019-EN-v1.pdf

¹¹ http://www.plasticseurope.org/Documents/Document/20100312112214-FINAL_POLYSTYRENE_GPPS_111209-20090428-003-EN-v1.pdf

¹² <https://emissionfactors.com/factor/126747/>